

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Albany

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	55.5	3/4/2022	0
2	53.9	2/27/2022	0
3	53.9	3/3/2022	0
4	53.1	3/29/2022	0
5	39.9	3/2/2022	0

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Athens

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Athens

Parameter: PMHR_COLOC

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Augusta

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	35.1	2/12/2022	0

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Columbus - Airport

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	37.5	2/1/2022	0

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Gainesville

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Gwinnett Tech

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Macon-Forestry

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: McDonough

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: NR-Georgia Tech

Parameter: NephPM2.5

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Rome

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Rossville-Williams St

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Sandersville

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	40	1/31/2022	0
2	39.6	2/1/2022	0
3	38.9	2/15/2022	0

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Savannah L&A

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: South DeKalb

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: United Ave.

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Valdosta MSA

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	35.2	3/3/2022	0

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Warner Robins

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	35.9	3/4/2022	0

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Athens

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Augusta

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Brunswick

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Columbus - Airport

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Conyers

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Dawsonville

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Douglasville

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	0.071	6/16/2022	8

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Evans

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Fort Mountain

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	0.072	4/28/2022	16

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Gwinnett Tech

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Kennesaw

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Leslie

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Macon-Forestry

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: McDonough

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Savannah EP

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: South DeKalb

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Summerville

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: United Ave.

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward Block

Violation Limit: 0.07

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	0.072	6/20/2022	16

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

CO

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: NR-Georgia Tech

Parameter: CO

Avg Interval: 1 hour

Units: PPM

Average Type: Forward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

CO

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: South DeKalb

Parameter: CO

Avg Interval: 1 hour

Units: PPM

Average Type: Forward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

NO2

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: NR-285

Parameter: NO2

Avg Interval: 1 hour

Units: PPM

Average Type: Forward Block

Violation Limit: 100

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

NO2

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: NR-Georgia Tech

Parameter: NO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 100

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

NO2

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: South DeKalb

Parameter: NO2_PPB

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 100

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

SO2

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Augusta

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

SO2

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Macon-Forestry

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

SO2

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Savannah EP

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

SO2

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Savannah L&A

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

SO2

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: South DeKalb

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

SO2

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: United Ave.

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_24-Hour PM2.5 Co

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Athens

Parameter: PMHR_COLOC

Avg Interval: Daily

Units: UG/M3

Average Type: PM2.5 24-hour Standard

Violation Limit: 35

<u>Year</u>	<u>Scheduled</u> <u>Days</u>	<u># Creditable</u> <u>Samples</u>	<u>98th</u> <u>Percentile</u> <u>Value</u>	<u>Days Above</u> <u>Standard</u>
-------------	---------------------------------	---------------------------------------	--	--------------------------------------

Consecutive valid years were not found.

The 24-hour standard design value is 0.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Athens

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	183	86%	0.062	5/16/2022	11	0
2021	214	100%	0.059	4/5/2021	11	0
2020	214	100%	0.056	4/6/2020	12	0

Design Value for Selected Time Period: 0.059

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Augusta

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	183	86%	0.06	5/18/2022	10	0
2021	212	99%	0.064	6/15/2021	10	0
2020	209	98%	0.056	6/21/2020	10	0

Design Value for Selected Time Period: 0.06

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Brunswick

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	181	85%	0.053	6/22/2022	10	0
2021	211	99%	0.054	5/9/2021	8	0
2020	213	100%	0.052	5/8/2020	9	0

Design Value for Selected Time Period: 0.053

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Columbus - Airport

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	182	85%	0.055	5/18/2022	9	0
2021	214	100%	0.06	7/29/2021	10	0
2020	212	99%	0.053	5/3/2020	11	0

Design Value for Selected Time Period: 0.056

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Conyers

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	182	85%	0.064	6/11/2022	9	0
2021	211	99%	0.063	7/28/2021	11	0
2020	213	100%	0.06	6/20/2020	10	0

Design Value for Selected Time Period: 0.062

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Dawsonville

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	183	86%	0.059	4/4/2022	13	1
2021	214	100%	0.058	4/27/2021	10	0
2020	214	100%	0.057	5/3/2020	13	0

Design Value for Selected Time Period: 0.058

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Douglasville

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	183	86%	0.064	6/24/2022	10	1
2021	213	100%	0.07	6/17/2021	11	2
2020	214	100%	0.056	9/8/2020	11	0

Design Value for Selected Time Period: 0.063

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Evans

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	183	86%	0.056	4/28/2022	10	0
2021	214	100%	0.055	5/1/2021	10	0
2020	210	98%	0.052	4/21/2020	12	0

Design Value for Selected Time Period: 0.054

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Fort Mountain

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	182	85%	0.063	5/17/2022	19	1
2021	212	99%	0.063	5/24/2021	20	0
2020	205	96%	0.057	6/13/2020	18	0

Design Value for Selected Time Period: 0.061

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Gwinnett Tech

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	182	85%	0.062	4/29/2022	11	0
2021	214	100%	0.065	7/29/2021	11	1
2020	214	100%	0.066	7/20/2020	12	1

Design Value for Selected Time Period: 0.064

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Kennesaw

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	183	86%	0.065	9/21/2022	11	1
2021	214	100%	0.062	6/17/2021	12	0
2020	214	100%	0.056	5/2/2020	10	0

Design Value for Selected Time Period: 0.061

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Leslie

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	175	82%	0.057	4/12/2022	10	0
2021	214	100%	0.059	4/13/2021	10	0
2020	212	99%	0.054	4/4/2020	11	0

Design Value for Selected Time Period: 0.056

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Macon-Forestry

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	180	84%	0.057	5/18/2022	10	0
2021	213	100%	0.063	5/25/2021	9	1
2020	212	99%	0.054	4/28/2020	10	0

Design Value for Selected Time Period: 0.058

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: McDonough

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	179	84%	0.069	6/23/2022	9	3
2021	213	100%	0.066	6/17/2021	11	1
2020	214	100%	0.058	7/12/2020	9	0

Design Value for Selected Time Period: 0.064

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Savannah EP

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	177	83%	0.057	5/10/2022	9	0
2021	213	100%	0.058	6/15/2021	12	0
2020	214	100%	0.054	4/11/2020	11	0

Design Value for Selected Time Period: 0.056

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: South DeKalb

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	179	84%	0.064	5/11/2022	10	2
2021	214	100%	0.067	8/12/2021	11	2
2020	212	99%	0.061	7/14/2020	9	0

Design Value for Selected Time Period: 0.064

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: Summerville

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	183	86%	0.059	5/18/2022	10	0
2021	214	100%	0.056	5/25/2021	10	0
2020	214	100%	0.052	7/15/2020	10	0

Design Value for Selected Time Period: 0.055

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: United Ave.

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2022	183	86%	0.067	6/23/2022	9	3
2021	211	99%	0.066	4/13/2021	11	2
2020	212	99%	0.063	7/14/2020	10	0

Design Value for Selected Time Period: 0.065

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_CO 1_Hour Stndrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: NR-Georgia Tech

Parameter: CO

Avg Interval: 1 hour

Units: PPM

Average Type: Forward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 10/2/2022

Current Time : 12:15 AM

Violation of Standards Report

STD_CO 8_Hour Stndrd

01-Jan-2022 00:00 - 02-Oct-2022 23:59

Site: NR-Georgia Tech

Parameter: CO

Avg Interval: 8 hour

Units: PPM

Average Type: Forward Block

Violation Limit: 9

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.