

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Albany

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

| <u>Rank</u> | <u>Average</u> | <u>Date</u> | <u>Hour</u> |
|-------------|----------------|-------------|-------------|
| 1 | 49 | 3/10/2018 | 10 |

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Athens

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Augusta

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

| <u>Rank</u> | <u>Average</u> | <u>Date</u> | <u>Hour</u> |
|-------------|----------------|-------------|-------------|
| 1 | 50 | 3/5/2018 | 6 |
| 2 | 42 | 3/17/2018 | 9 |
| 3 | 36 | 3/10/2018 | 6 |

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Gainesville

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Gwinnett Tech

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: MACON-For

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

| <u>Rank</u> | <u>Average</u> | <u>Date</u> | <u>Hour</u> |
|-------------|----------------|-------------|-------------|
| 1 | 36 | 3/11/2018 | 3 |

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Rossville

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: SAVANNAH-L&A

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: SOUTH DEKALB

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Warner Robins

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

| <u>Rank</u> | <u>Average</u> | <u>Date</u> | <u>Hour</u> |
|-------------|----------------|-------------|-------------|
| 1 | 36 | 3/10/2018 | 1 |

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

CO 8 Hour

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: SOUTH DEKALB

Parameter: CO

Avg Interval: 8 hour

Units: PPM

Average Type: Forward rolling

Violation Limit: 9

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

CO NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: SOUTH DEKALB

Parameter: CO

Avg Interval: 1 hour

Units: PPM

Average Type: Forward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Athens

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

| <u>Rank</u> | <u>Average</u> | <u>Date</u> | <u>Hour</u> |
|-------------|----------------|-------------|-------------|
| 1 | 0.072 | 5/4/2018 | 19 |
| 2 | 0.072 | 5/11/2018 | 18 |

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: ATLANTA-CONFEDERATE
AVE

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

| <u>Rank</u> | <u>Average</u> | <u>Date</u> | <u>Hour</u> |
|-------------|----------------|-------------|-------------|
| 1 | 0.08 | 6/7/2018 | 17 |
| 2 | 0.072 | 6/6/2018 | 17 |

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Augusta

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

| <u>Rank</u> | <u>Average</u> | <u>Date</u> | <u>Hour</u> |
|-------------|----------------|-------------|-------------|
| 1 | 0.085 | 6/6/2018 | 17 |

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: BRUNSWICK

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: COLUMBUS-AP

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Conyers

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

| <u>Rank</u> | <u>Average</u> | <u>Date</u> | <u>Hour</u> |
|-------------|----------------|-------------|-------------|
| 1 | 0.074 | 5/12/2018 | 17 |
| 2 | 0.071 | 6/6/2018 | 17 |

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: DAWSONVILLE

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

| <u>Rank</u> | <u>Average</u> | <u>Date</u> | <u>Hour</u> |
|-------------|----------------|-------------|-------------|
| 1 | 0.073 | 5/2/2018 | 19 |
| 2 | 0.072 | 5/1/2018 | 19 |

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: DOUGLASVILLE

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Evans

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: FORT MOUNTAIN

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Gwinnett Tech

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Kennesaw

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: Leslie

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: MACON-For

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: MCDONOUGH

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

| <u>Rank</u> | <u>Average</u> | <u>Date</u> | <u>Hour</u> |
|-------------|----------------|-------------|-------------|
| 1 | 0.075 | 5/13/2018 | 18 |
| 2 | 0.071 | 6/4/2018 | 18 |

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: SAVANNAH-EP

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: SOUTH DEKALB

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 6/22/2018

Current Time : 12:15 AM

Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 22-Jun-2018 23:59

Site: SUMMERVILLE

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.