

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

24H\_PMHR Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Albany

Parameter: 24H\_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	49	3/10/2018	10

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

24H\_PMHR Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Athens

Parameter: 24H\_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

24H\_PMHR Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Augusta

Parameter: 24H\_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	50	3/5/2018	6
2	42	3/17/2018	9
3	36	3/10/2018	6

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

24H\_PMHR Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Gainesville

Parameter: 24H\_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

24H\_PMHR Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Gwinnett Tech

Parameter: 24H\_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

24H\_PMHR Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: MACON-For

Parameter: 24H\_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	36	3/11/2018	3

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

24H\_PMHR Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Rossville

Parameter: 24H\_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

24H\_PMHR Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: SAVANNAH-L&A

Parameter: 24H\_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.



Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

24H\_PMHR Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: SOUTH DEKALB

Parameter: 24H\_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

24H\_PMHR Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Warner Robins

Parameter: 24H\_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	36	3/10/2018	1

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

CO 8 Hour

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: SOUTH DEKALB

Parameter: CO

Avg Interval: 8 hour

Units: PPM

Average Type: Forward rolling

Violation Limit: 9

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

CO NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: SOUTH DEKALB

Parameter: CO

Avg Interval: 1 hour

Units: PPM

Average Type: Forward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Athens

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	0.072	5/4/2018	19
2	0.072	5/11/2018	18

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: ATLANTA-CONFEDERATE  
AVE

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	0.08	6/7/2018	17
2	0.079	7/9/2018	18
3	0.074	8/15/2018	18
4	0.072	6/6/2018	17

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Augusta

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	0.085	6/6/2018	17

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: BRUNSWICK

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.



Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: COLUMBUS-AP

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Conyers

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	0.074	5/12/2018	17
2	0.071	6/6/2018	17

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: DAWSONVILLE

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	0.073	5/2/2018	19
2	0.072	5/1/2018	19

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: DOUGLASVILLE

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Evans

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: FORT MOUNTAIN

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Gwinnett Tech

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Kennesaw

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.



Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: Leslie

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: MACON-For

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: MCDONOUGH

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	0.075	5/13/2018	18
2	0.072	7/26/2018	18
3	0.071	6/4/2018	18

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: SAVANNAH-EP

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: SOUTH DEKALB

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 8/21/2018

Current Time : 12:15 AM

## Violation of Standards Report

Ozone NAAQS Standard

01-Jan-2018 00:00 - 21-Aug-2018 23:59

Site: SUMMERVILLE

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.