

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Albany

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Athens

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: ATLANTA-UNITED AVE

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Augusta

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: COLUMBUS-AP

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Gainesville

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Gwinnett Tech

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: MACON-For

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: MCDONOUGH

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Rome

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Rossville

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Sandersville

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: SAVANNAH-L&A

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: SOUTH DEKALB

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Valdosta MSA

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

24H_PMHR Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Warner Robins

Parameter: 24H_PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Forward rolling

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Athens

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: ATLANTA-UNITED AVE

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Augusta

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: BRUNSWICK

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: COLUMBUS-AP

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Conyers

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: DAWSONVILLE

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: DOUGLASVILLE

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Evans

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: FORT MOUNTAIN

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: GRIFFIN

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Gwinnett Tech

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Kennesaw

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Leslie

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: MACON-For

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: MCDONOUGH

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: SAVANNAH-EP

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: SOUTH DEKALB

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

8H_OZONE Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: SUMMERVILLE

Parameter: 8H_OZONE

Avg Interval: 1 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

SO2 NAAQS Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: ATLANTA-UNITED AVE

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

SO2 NAAQS Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Augusta

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

SO2 NAAQS Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: Kraftsman

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

SO2 NAAQS Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: MACON-For

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

SO2 NAAQS Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: SAVANNAH-EP

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 1/22/2021

Current Time : 12:15 AM

Violation of Standards Report

SO2 NAAQS Standard

01-Jan-2021 00:00 - 22-Jan-2021 23:59

Site: SAVANNAH-L&A

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.