

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Albany

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	80.4	3/14/2026	0
2	74.3	2/13/2026	0
3	44.4	3/20/2026	0
4	42.8	2/14/2026	0

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Athens

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Athens

Parameter: PMHR_COLOC

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	35.8	3/30/2026	0

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Augusta

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	48.5	1/13/2026	0
2	41.1	4/22/2026	0
3	39.1	3/21/2026	0

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Brunswick

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	68.2	4/26/2026	0
2	58.6	4/21/2026	0

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Columbus - Baker

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	65.5	2/14/2026	0
2	47.6	2/9/2026	0
3	45.1	3/20/2026	0

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Gainesville

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Gen_Coffee

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	89.9	2/10/2026	0
2	61.2	4/22/2026	0
3	42.6	2/9/2026	0
4	40.6	1/13/2026	0
5	37.5	2/13/2026	0
6	37.2	4/23/2026	0
7	36.6	1/14/2026	0

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Gwinnett Tech

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Macon-Allied

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	54.8	4/22/2026	0
2	54.4	1/13/2026	0
3	47	3/21/2026	0
4	43.8	3/20/2026	0
5	36.1	1/14/2026	0

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Rossville-Williams St

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Sandersville

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	39.2	4/22/2026	0
2	35.1	3/21/2026	0

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Sandersville

Parameter: PMHR_COLOC

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Savannah L&A

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	36.3	3/22/2026	0

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: South DeKalb

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Valdosta MSA

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	85.7	4/21/2026	0
2	53.8	4/22/2026	0
3	35.8	1/13/2026	0

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

24H PM

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Warner Robins

Parameter: PMHR

Avg Interval: 24 hour

Units: UG/M3

Average Type: Backward Block

Violation Limit: 35

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	50.5	4/22/2026	0

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Athens

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	0.075	4/22/2026	18

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Augusta

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Brunswick

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Columbus - Airport

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Conyers

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Dawsonville

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Douglasville

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Fort Mountain

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Gwinnett Tech

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	0.075	5/16/2026	18

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Kennesaw

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Macon-Forestry

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: McDonough

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Pike CASTNET

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Savannah EP

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: South DeKalb

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

8H Ozone

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: United Ave.

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: Backward rolling

Violation Limit: 0.07

<u>Rank</u>	<u>Average</u>	<u>Date</u>	<u>Hour</u>
1	0.074	4/11/2026	18
2	0.073	5/16/2026	18

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

CO

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: NR-Georgia Tech

Parameter: CO

Avg Interval: 1 hour

Units: PPM

Average Type: Forward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

CO

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: South DeKalb

Parameter: CO

Avg Interval: 1 hour

Units: PPM

Average Type: Forward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

NO2

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: NR-285

Parameter: NO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 100

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

NO2

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: NR-Georgia Tech

Parameter: NO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 100

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

NO2

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: South DeKalb

Parameter: NO2_PPB

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 100

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

SO2

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Macon-Forestry

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

SO2

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Savannah EP

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

SO2

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Savannah L&A

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

SO2

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: South DeKalb

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

SO2

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: United Ave.

Parameter: SO2

Avg Interval: 1 hour

Units: PPB

Average Type: Forward Block

Violation Limit: 75

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_24-Hour PM2.5 Co

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Athens

Parameter: PMHR_COLOC

Avg Interval: Daily

Units: UG/M3

Average Type: PM2.5 24-hour Standard

Violation Limit: 35

<u>Year</u>	<u>Scheduled</u> <u>Days</u>	<u># Creditable</u> <u>Samples</u>	<u>98th</u> <u>Percentile</u> <u>Value</u>	<u>Days Above</u> <u>Standard</u>
-------------	---------------------------------	---------------------------------------	--	--------------------------------------

Consecutive valid years were not found.

The 24-hour standard design value is 0.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_24-Hour PM2.5 Co

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Sandersville

Parameter: PMHR_COLOC

Avg Interval: Daily

Units: UG/M3

Average Type: PM2.5 24-hour Standard

Violation Limit: 35

<u>Year</u>	<u>Scheduled Days</u>	<u># Creditable Samples</u>	<u>98th Percentile Value</u>	<u>Days Above Standard</u>
-------------	---------------------------	---------------------------------	--------------------------------------	--------------------------------

Consecutive valid years were not found.

The 24-hour standard design value is 0.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Athens

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.063	4/14/2026	10	1
2025	212	99%	0.057	7/7/2025	12	0
2024	212	99%	0.062	7/11/2024	11	0

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.06

The data completeness standard was not met: 73.6%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Augusta

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.06	4/10/2026	11	0
2025	211	99%	0.056	4/17/2025	10	0
2024	206	96%	0.058	6/8/2024	11	0

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.058

The data completeness standard was not met: 72.6%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Brunswick

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	47	22%	0.054	5/4/2026	9	0
2025	211	99%	0.057	6/2/2025	13	0
2024	214	100%	0.054	7/12/2024	12	0

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.055

The data completeness standard was not met: 73.6%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Columbus - Airport

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.061	5/4/2026	10	0
2025	208	97%	0.056	9/18/2025	10	0
2024	213	100%	0.06	4/25/2024	10	0

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.059

The data completeness standard was not met: 73.3%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Conyers

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.063	4/17/2026	11	0
2025	213	100%	0.057	6/24/2025	10	0
2024	213	100%	0.068	8/12/2024	10	2

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.062

The data completeness standard was not met: 74.3%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Dawsonville

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.057	4/12/2026	10	0
2025	211	99%	0.059	4/17/2025	11	0
2024	214	100%	0.061	4/14/2024	13	1

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.059

The data completeness standard was not met: 74%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Douglasville

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.062	4/23/2026	11	0
2025	129	60%	0.063	9/19/2025	10	0
2024	213	100%	0.069	8/24/2024	11	2

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.064

The data completeness standard was not met: 61%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Fort Mountain

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.062	4/11/2026	21	0
2025	210	98%	0.06	9/17/2025	19	1
2024	209	98%	0.061	4/8/2024	12	0

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.061

The data completeness standard was not met: 73%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Gwinnett Tech

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.069	5/4/2026	11	1
2025	214	100%	0.061	4/14/2025	11	0
2024	214	100%	0.066	7/14/2024	11	1

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.065

The data completeness standard was not met: 74.3%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Kennesaw

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.062	5/15/2026	12	0
2025	211	99%	0.058	9/16/2025	11	0
2024	211	99%	0.062	8/28/2024	11	0

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.06

The data completeness standard was not met: 73.6%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Macon-Forestry

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.059	4/22/2026	11	0
2025	205	96%	0.055	4/18/2025	10	0
2024	213	100%	0.064	6/26/2024	9	0

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.059

The data completeness standard was not met: 73%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: McDonough

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.061	4/22/2026	10	0
2025	209	98%	0.06	6/26/2025	10	0
2024	200	93%	0.075	6/11/2024	11	6

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.065

The data completeness standard was not met: 71.3%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Pike CASTNET

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.063	4/23/2026	11	0
2025	212	99%	0.068	7/29/2025	11	3
2024	213	100%	0.075	7/12/2024	11	4

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.068

The data completeness standard was not met: 74%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: Savannah EP

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.055	4/18/2026	16	0
2025	212	99%	0.055	6/1/2025	11	0
2024	213	100%	0.056	5/30/2024	10	0

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.055

The data completeness standard was not met: 74%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: South DeKalb

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	49	23%	0.062	4/21/2026	11	0
2025	210	98%	0.06	9/18/2025	11	0
2024	213	100%	0.073	7/14/2024	10	6

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.065

The data completeness standard was not met: 73.6%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_8_Hour Ozone Standrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: United Ave.

Parameter: O3

Avg Interval: 8 hour

Units: PPM

Average Type: 8-hour Ozone Standard

Violation Limit: 0.07

<u>Year</u>	<u>Valid Days</u>	<u>% Complete</u>	<u>4th Highest Value</u>	<u>Date</u>	<u>Hour</u>	<u>Days Above Standard</u>
2026	47	22%	0.068	4/21/2026	11	2
2025	209	98%	0.072	9/18/2025	11	4
2024	201	94%	0.072	7/12/2024	11	4

Consecutive valid years were not found.

Design Value for Selected Time Period: 0.07

The data completeness standard was not met: 71.3%

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_CO 1_Hour Stndrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: NR-Georgia Tech

Parameter: CO

Avg Interval: 1 hour

Units: PPM

Average Type: Forward Block

Violation Limit: 35

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.

Current Date : 5/21/2026

Current Time : 12:15 AM

Violation of Standards Report

STD_CO 8_Hour Stndrd

01-Jan-2026 00:00 - 21-May-2026 23:59

Site: NR-Georgia Tech

Parameter: CO

Avg Interval: 8 hour

Units: PPM

Average Type: Forward Block

Violation Limit: 9

Rank

Average

Date

Hour

No values exceeded the limit for the selected time period.